

JAK Libs

1. Proper Noun
2. Adjective
3. Noun
4. Adjective
5. Noun
6. Adjective
7. Adjective
8. Noun
9. Verb - Past Tense
10. Adjective
11. Adjective
12. Adjective
13. Noun
14. Verb - Past Tense
15. Noun
16. Noun
17. Adjective
18. Adjective
19. Noun
20. Adjective
21. Verb - Past Participle
22. Adjective
23. Noun

24. Noun
25. Verb - Past Tense
26. Adjective
27. Adjective
28. Noun
29. Verb - Base Form
30. Adjective
31. Proper Noun
32. Noun
33. Noun
34. Adjective

JAK Libs

Eli Lilly and Company and _____ Proper Noun Corporation today announced positive topline results of RA-BEAM, the _____ Adjective successful Phase 3 study of baricitinib, an investigational _____ Noun for patients with moderately-to-severely active rheumatoid arthritis.

The study met its _____ Adjective objective of demonstrating superiority compared to _____ Noun after 12 weeks of treatment based on ACR20 response - a _____ Adjective clinical measure that represents at least a 20 percent improvement in RA disease activity. Baricitinib was also _____ Adjective to _____ Noun on key secondary objectives of ACR20 response and improvement in DAS28-hsCRP score after 12 weeks of treatment. Following 24 weeks of treatment, baricitinib _____ Verb - Past Tense _____ Adjective to placebo in preventing progressive radiographic structural _____ Adjective damage. These treatment benefits with baricitinib observed at 12 and 24 _____ Adjective were maintained through 52 weeks of _____ Noun.

_____ Verb - Past Tense to placebo, _____ Noun _____ Noun events rates were similar for baricitinib and _____ Adjective for adalimumab; serious infection rates were _____ Adjective across groups. There were no cases of _____ Noun perforations. One event of tuberculosis was reported in each of the baricitinib and adalimumab groups. Rates of treatment-emergent _____ Adjective events, including infections, were higher for baricitinib and adalimumab _____ Verb - Past Participle to placebo. The most _____ Adjective adverse events observed with baricitinib were _____ Noun and _____ Noun. Discontinuations due to adverse events

_____ Verb - Past Tense

with similar frequency across treatment groups. A _____ Adjective majority of patients completing this trial
opted to participate in a _____ Adjective extension _____ Noun.

"RA-BEAM is the first study to _____ Verb - Base Form that a once-daily _____ Adjective treatment was
superior in improving signs and symptoms of rheumatoid arthritis compared to the current injectable standard of
care," said _____ Proper Noun Ricks, Lilly senior vice president, and _____ Noun, Lilly Bio-Medicines. "If
approved, baricitinib could help _____ Noun expectations for people living with this _____ Adjective disease
."