

## Subpart L - Fall Protection

1. Noun Plural
2. Noun Plural
3. Noun Plural
4. Adjective Ends In Est
5. Adjective
6. Adjective
7. Noun
8. Adjective
9. Adjective
10. Adjective
11. Noun
12. Verb Past Tense
13. Noun
14. Adverb
15. Noun Plural
16. Verb Past Tense
17. Noun Plural
18. Adverb
19. Noun Plural
20. Noun
21. Proper Noun Plural
22. Proper Noun Plural

## Subpart L - Fall Protection

1926.451(f)(1)

Scaffolds and scaffold \_\_\_\_\_ Noun Plural shall not be loaded in excess of their maximum intended \_\_\_\_\_ Noun Plural or rated \_\_\_\_\_ Noun Plural, whichever is \_\_\_\_\_ Adjective Ends in EST.

1926.451(f)(2)

The use of \_\_\_\_\_ Adjective or \_\_\_\_\_ Adjective scaffolds is prohibited.

1926.451(f)(3)

Scaffolds and \_\_\_\_\_ Noun components shall be inspected for \_\_\_\_\_ Adjective defects by a \_\_\_\_\_ Adjective person before each work shift, and after any occurrence which could affect a scaffold's \_\_\_\_\_ Adjective \_\_\_\_\_ Noun.

1926.451(f)(4)

Any part of a scaffold damaged or \_\_\_\_\_ Verb Past Tense such that its strength is less than that required by paragraph (a) of this \_\_\_\_\_ Noun shall be \_\_\_\_\_ Adverb repaired or replaced, braced to meet those \_\_\_\_\_ Noun Plural, or removed from service until \_\_\_\_\_ Verb Past Tense.

.451(f)(5)

\_\_\_\_\_ Noun Plural shall not be moved \_\_\_\_\_ Adverb while \_\_\_\_\_ Noun Plural are on them, unless they have been designed by a registered professional \_\_\_\_\_ Noun specifically for such movement or, for mobile \_\_\_\_\_ Proper Noun Plural, where the \_\_\_\_\_ Proper Noun Plural of § 1926.452(w) are followed